



* ALL DRILL PIPE IS MANUFACTURED PER API SDP LATEST REVISIONS AND CUSTOMER SPECIFICATIONS *

New Drill Pipe

Quantity	OD	#/FT	Grade	Length	Conn	OD	ID	Tool Joint	M/B	HB	IPC	Stock
400	4"	15.70	S-135	Rg. 2	NC40	5-1/4"	2-9/16"	9" / 12"				X
246	6-5/8"	27.70	S-135	Rg. 2	6-5/8" FH	8-1/2"	4-1/4"	10" / 13"		X		
2000	3-1/2"	13.30	S-135	Rg. 2	NC38	5"	2-7/16"	10" / 12"	X	X		X
381	4"	14.00	S-135	Rg. 2	DS40	5-1/2"	2-9/16"	9" / 12"	X			X
2000	4"	14.00	S-135	Rg. 2	NC40	5-1/4"	2-11/16"	9" / 12"	X	X		X
635	4-1/2"	16.60	G-105	Rg. 2	NC46	6-1/4"	3"	9" / 12"	X	X	X	X
635	4-1/2"	16.60	S-135	Rg. 2	NC46	6-1/4"	2-3/4"	9" / 12"	X	X	X	X
635	5"	19.50	G-105	Rg. 2	NC50	6-5/8"	3-1/4"	9" / 12"	X	X	X	X
635	5"	19.50	S-135	Rg. 2	NC50	6-5/8"	2-3/4"	9" / 12"	X	X	X	X
317	5-1/2"	24.70	S-135	Rg. 2	5-1/2 FHDS	7-1/2"	3-1/2"		X			Nov. 14
1000	6-5/8"	27.70	S-135	Rg. 2	6-5/8 FH	8-1/2"	4-1/4"	11" / 13"	X			X

Used Drill Pipe

Quantity	OD	#/FT	Grade	Length	Conn	OD	ID	Tool Joint	M/B	HB	IPC	Stock
940	3-1/2"	15.50	X-95	Rg. 2	NC38	TBD	TBD	TBD				X
940	3-1/2"	15.50	X-95	Rg. 2	NC38	TBD	TBD	TBD				X
468	4"	14.00	S-135	Rg. 2	XT39	4.750" +	2.688		X	X	X	X
540	4.5"	16.60	S-135	Rg. 2	NC46	6.125" +	2.75			X	X	X
574	5.00"	19.50	S-135	Rg. 2	NC50	6.500" +	2.75			X	X	X

Heavy Weight

New/Used	Quantity	OD	ID	Length	Conn	Spiral	Conv	HB				Stock
New	88	4.00"	2.250"	31.5'	NC40							X
Used	10	4.500"	2.250"	30'	NC46		X					X
Used	14	5.00"	2.750"	30'	NC50		X					X
Used	17	5.00"	2.750"	30'	NC50	X						X

Drill Collars

New/Used	Quantity	OD	ID	Length	Conn	Spiral	Conv	HB				Stock
New	115	4.750"	2.000"	31' - 31.5'	NC38		X					X

New	123	6.5	2.688"	31' - 31.5'	NC50		X					X
New	56	8.250"	2.688"	31' - 31.5'	6-5/8 Reg		X					X
Used	3	6.500"	2.250"	30'	NC46		X					X
Used	1	6.500"	2.250"	29.5'	NC46	X						X
Used	2	6.375"	2.688"	27'	NC50		X					X

Kellys

New/Used	Quantity	OD	ID	Length	Conn	Spiral	Conv	HB				Stock
New	1	3.500"		40'	HEX							X
New	1	4.750"		40'	HEX							X

15001 Walden Road - Suite 132 Montgomery, TX 77356 - (Office) 936-242-7447 (Cell) 281-380-2567 - www.gpdrillingsupply.com

