

SQUARE KELLY STANDARD DIMENSIONS

NOMINAL KELLY SIZE OD		STD LENGTHS		TOP LH THREAD CONNECTION	TOP CONNECTION OD		BOTTOM RH CONNECTION	BOTTOM CONNECTION OD		STD BORE		APPROX WEIGHT PER 40 FT. SECTION	
IN	MM				IN	MM		IN	MM	IN	MM		
3.5	88.9	40	12.19	6-5/8 Reg LH	7.75	196.85	NC38	4.75	120.65	2.25	57.15	1320	600
		42	12.80										
		46	14.02										
3.5	88.9	40	12.19	4-1/2 Reg LH	5.75	146.05	NC38	4.75	120.65	2.25	57.15	1320	600
		42	12.80										
		46	14.02										
4.25	107.95	40	12.19	6-5/8 Reg LH	7.75	196.85	NC46	6" / 6.813	125.4 / 191.92	2.813	71.4502	1820	827.27
		42	12.80										
		46	14.02										
4.25	107.95	40	12.19	6-5/8 Reg LH	7.75	196.85	NC50	6.125 / 6.375	155.57 / 161.92	2.813	71.4502	1820	827.27
		42	12.80										
		46	14.02										
5.25	133.35	40	12.19	6-5/8 Reg LH	7.75	196.85	NC56 / 5-1/2 FH	7	177.8	3	76.2	2780	1263.63
		42	12.80										
		46	14.02										
6	152.4	40	12.19	6-5/8 Reg LH	7.75	196.85	6-5/8 Reg	7.75	196.85	3	76.2	3700	1681.81
		42	12.80										
		46	14.02										

HEXAGONAL KELLY STANDARD DIMENSIONS

NOMINAL KELLY SIZE OD		STD LENGTHS		TOP LH THREAD CONNECTION	TOP CONNECTION OD		BOTTOM RH CONNECTION	BOTTOM CONNECTION OD		STD BORE		APPROX WEIGHT PER 40 FT. SECTION	
IN	MM				IN	MM		IN	MM	IN	MM		
3.5	88.9	40	12.19	6-5/8 Reg LH	7.75	196.85	NC31	4.125	104.77	1.75	44.45	1300	590.9
		42	12.80										
		46	14.02										
3.5	88.9	40	12.19	4-1/2 Reg LH	5.75	146.05	NC31	4.125	104.77	1.75	44.45	1200	545.45
		42	12.80										
		46	14.02										
4.25	107.95	40	12.19	6-5/8 Reg LH	7.75	196.85	NC8	4.75	120.65	2.25	57.15	1740	790.9
		42	12.80										
		46	14.02										
4.25	107.95	40	12.19	6-5/8 Reg LH	7.75	196.85	NC46	6 / 6.375	125.4 / 161.92	2.813	71.4502	2550	1159.09
		42	12.80										
		46	14.02										
5.25	133.35	40	12.19	6-5/8 Reg LH	7.75	196.85	NC50	6.125 / 6.375	155.57 / 161.92	3	76.2	2550	1159.09
		42	12.80										
		46	14.02										
6	152.4	40	12.19	6-5/8 Reg LH	7.75	196.85	NC56 / 5- 1/2 FH	7	177.8	3	76.2	3040	1381.81
		42	12.80										
		46	14.02										